STOLASIK SORGA

TRUSTED LASIK SURGEONS

www.TrustedLASIKSurgeons.com

(800) 483-8028

LASIK Surgery: Risks and Complications

No surgery is without risks and possible complications and LASIK is no different in that respect. At Trusted LASIK Surgeons, we believe patients can minimize these risks by selecting a <u>highly qualified LASIK Surgeon</u>: one who can offer you the proper diagnosis, recommend the treatment best suited to your eyes and your vision, and who has the proven experience and expertise to perform the laser eye surgery or another vision correction procedures you choose.

If you are considering the LASIK laser eye surgery procedure for your vision correction, Trusted LASIK Surgeons strongly encourages you to review the example provided below of an Informed Consent Form. This example describes the surgical procedures and will provide you with information about the possible risks, complications, and side effects from LASIK surgery. If you are considering "all laser" or bladeless LASIK, please use click to: IntraLASIK Informed Consent (Form): Risks and Complications.

The consent your surgeon uses may be different than this example but we believe this consent covers the main risks.

Bilateral Simultaneous LASIK. If you are considering have LASIK on both eyes at the same time, please also review <u>Bilateral Simultaneous LASIK Informed Consent (Form)</u>: <u>Risks and Complications</u>.

Informed Consent for LASIK Surgery (Sample Form)

Introduction

This information is being provided to you so that you can make an informed decision about the use of a device known as a microkeratome, combined with the use of a device known as an excimer laser, to perform LASIK (or Laser In-Situ Keratomileusis). LASIK is one of a number of alternatives for correcting nearsightedness, farsightedness and astigmatism. In LASIK, the microkeratome is used to shave the cornea to create a flap. The flap then is opened like the page of a book to expose tissue just below the cornea's surface. Next, the excimer laser is used to remove ultra-thin layers from the cornea to reshape it to reduce nearsightedness. Finally, the flap is returned to its original position, without sutures.

LASIK is an elective procedure: There is no emergency condition or other reason that requires or demands that you have it performed. You could continue wearing contact lenses or glasses and have adequate visual acuity. This procedure, like all surgery, presents some risks, many of which are listed below. You should also understand that there may be other risks not known to your doctor, which may become known later. Despite the best of care, complications and side effects may occur; should this happen in your case, the result might be affected even to the extent of making your vision worse.

Alternatives to LASIK

If you decide not to have LASIK, there are other methods of correcting your nearsightedness (myopia), farsightedness (hyperopia) or astigmatism (blurred vision). These alternatives include, among others, eyeglasses, contact lenses and other refractive surgical procedures.

State Of the state

TRUSTED LASIK SURGEONS

www.TrustedLASIKSurgeons.com

(800) 483-8028

LASIK Surgery: Risks and Complications

Patient Consent

In giving my permission for LASIK, I understand the following: The long-term risks and effects of LASIK are unknown. I have received no guarantee as to the success of my particular case. I understand that the following risks are associated with the procedure:

Vision Threatening Complications

- 1. I understand that the microkeratome or the excimer laser could malfunction, requiring the procedure to be stopped before completion. Depending on the type of malfunction, this may or may not be accompanied by visual loss.
- 2. I understand that, in using the microkeratome, instead of making a flap, an entire portion of the central cornea could be cut off, and very rarely could be lost. If preserved, I understand that my doctor would put this tissue back on the eye after the laser treatment, using sutures, according to the ALK procedure method. It is also possible that the flap incision could result in an incomplete flap, or a flap that is too thin. If this happens, it is likely that the laser part of the procedure will have to be postponed until the cornea has a chance to heal sufficiently to try to create the flap again.
- 3. I understand that irregular healing of the flap could result in a distorted cornea. This would mean that glasses or contact lenses may not correct my vision to the level possible before undergoing LASIK. If this distortion in vision is severe, a partial or complete corneal transplant might be necessary to repair the cornea.
- 4. I understand that it is possible a perforation of the cornea could occur, causing devastating complications, including loss of some or all of my vision. This could also be caused by an internal or external eye infection that could not be controlled with antibiotics or other means.
- 5. I understand that mild or severe infection is possible. Mild infection can usually be treated with antibiotics and usually does not lead to permanent visual loss. Severe infection, even if successfully treated with antibiotics, could lead to permanent scarring and loss of vision that may require corrective laser surgery or, if very severe, corneal transplantation or even loss of the eye.
- 6. I understand that I could develop keratoconus. Keratoconus is a degenerative corneal disease affecting vision that occurs in approximately 1/2000 in the general population. While there are several tests that suggest which patients might be at risk, this condition can develop in patients who have normal preoperative topography (a map of the cornea obtained before surgery) and pachymetry (corneal thickness measurement). Since keratoconus may occur on its own, there is no absolute test that will ensure a patient will not develop keratoconus following laser vision correction. Severe keratoconus may need to be treated with a corneal transplant while mild keratoconus can be corrected by glasses or contact lenses.

TRUSTED LASIK SURGEONS

www.TrustedLASIKSurgeons.com

(800) 483-8028

LASIK Surgery: Risks and Complications

7. I understand that other very rare complications threatening vision include, but are not limited to, corneal swelling, corneal thinning (ectasia), appearance of "floaters" and retinal detachment, hemorrhage, venous and arterial blockage, cataract formation, total blindness, and even loss of my eye.

Non-Vision Threatening Side Effects

- 8. I understand that there may be increased sensitivity to light, glare, and fluctuations in the sharpness of vision. I understand these conditions usually occur during the normal stabilization period of from one to three months, but they may also be permanent.
- 9. I understand that there is an increased risk of eye irritation related to drying of the corneal surface following the LASIK procedure. These symptoms may be temporary or, on rare occasions, permanent, and may require frequent application of artificial tears and/or closure of the tear duct openings in the eyelid.
- 10. I understand that an overcorrection or undercorrection could occur, causing me to become farsighted or nearsighted or increase my astigmatism and that this could be either permanent or treatable. I understand an overcorrection or undercorrection is more likely in people over the age of 40 years and may require the use of glasses for reading or for distance vision some or all of the time.
- 11. After refractive surgery, a certain number of patients experience glare, a "starbursting" or halo effect around lights, or other low-light vision problems that may interfere with the ability to drive at night or see well in dim light. The exact cause of these visual problems is not currently known; some ophthalmologists theorize that the risk may be increased in patients with large pupils or high degrees of correction. For most patients, this is a temporary condition that diminishes with time or is correctable by wearing glasses at night or taking eye drops. For some patients, however, these visual problems are permanent. I understand that my vision may not seem as sharp at night as during the day and that I may need to wear glasses at night or take eye drops. I understand that it is not possible to predict whether I will experience these night vision or low light problems, and that I may permanently lose the ability to drive at night or function in dim light because of them. I understand that I should not drive unless my vision is adequate.
- 12. I understand that I may not get a full correction from my LASIK procedure and this may require future enhancement procedures, such as more laser treatment or the use of glasses or contact lenses.
- 13. I understand that there may be a "balance" problem between my two eyes after LASIK has been performed on one eye, but not the other. This phenomenon is called anisometropia. I understand this would cause eyestrain and make judging distance or depth perception more difficult. I understand that my first eye may take longer to heal than is usual, prolonging the time I could experience anisometropia.

TRUSTED LASIK SURGEONS



www.TrustedLASIKSurgeons.com

(800) 483-8028

LASIK Surgery: Risks and Complications

- 14. I understand that, after LASIK, the eye may be more fragile to trauma from impact. Evidence has shown that, as with any scar, the corneal incision will not be as strong as the cornea originally was at that site. I understand that the treated eye, therefore, is somewhat more vulnerable to all varieties of injuries, at least for the first year following LASIK. I understand it would be advisable for me to wear protective eyewear when engaging in sports or other activities in which the possibility of a ball, projectile, elbow, fist, or other traumatizing object contacting the eye may be high.
- 15. I understand that there is a natural tendency of the eyelids to droop with age and that eye surgery may hasten this process.
- 16. I understand that there may be pain or a foreign body sensation, particularly during the first 48 hours after surgery.
- 17. I understand that temporary glasses either for distance or reading may be necessary while healing occurs and that more than one pair of glasses may be needed.
- 18. I understand that the long-term effects of LASIK are unknown and that unforeseen complications or side effects could possibly occur.
- 19. I understand that visual acuity I initially gain from LASIK could regress, and that my vision may go partially back to a level that may require glasses or contact lens use to see clearly.
- 20. I understand that the correction that I can expect to gain from LASIK may not be perfect. I understand that it is not realistic to expect that this procedure will result in perfect vision, at all times, under all circumstances, for the rest of my life. I understand I may need glasses to refine my vision for some purposes requiring fine detailed vision after some point in my life, and that this might occur soon after surgery or years later.
- 21. I understand that I may be given medication in conjunction with the procedure and that my eye may be patched afterward. I therefore, understand that I must not drive the day of surgery and not until I am certain that my vision is adequate for driving.
- 22. I understand that if I currently need reading glasses, I will still likely need reading glasses after this treatment. It is possible that dependence on reading glasses may increase or that reading glasses may be required at an earlier age if I have this surgery.
- 23. Even 90% clarity of vision is still slightly blurry. Enhancement surgeries can be performed when vision is stable UNLESS it is unwise or unsafe. If the enhancement is performed within the first six months following surgery, there generally is no need to make another cut with the microkeratome. The original flap can usually be lifted with specialized techniques. After 6 months of healing, a new LASIK incision may be required, incurring greater risk. In order to perform an enhancement surgery, there must be adequate tissue remaining. If there is inadequate tissue, it may not be possible to perform an enhancement. An assessment and consultation will be held with the surgeon at which time the benefits and risks of an enhancement surgery will be discussed.



TRUSTED LASIK SURGEONS

www.TrustedLASIKSurgeons.com

(800) 483-8028

LASIK Surgery: Risks and Complications

24. I understand that, as with all types of surgery, there is a possibility of complications due to anesthesia, drug reactions, or other factors that may involve other parts of my body. I understand that, since it is impossible to state every complication that may occur as a result of any surgery, the list of complications in this form may not be complete.

For Presbyopic Patients (those requiring a separate prescription for reading):

The option of monovision has been discussed with my ophthalmologist.

Patient's Statement of Acceptance and Understanding

•	ny ophthalmologist. My	ophthalmologist has ar	ne in detail in this document nswered all my questions to
Right eye		Left eye	Both eyes
for purposes of education permission for my ophtha further understand LASI	n, research, or training of almologist to use data a K. I understand that its sion for it to be disclose	of other health care pro about my procedure ar my name will remain	ic equipment my procedure, of essionals. I also give my nd subsequent treatment to confidential, unless I give ologist's office or the center
Patient Name	Date	Witness Name	Date
End of Form			
LASIK Surgeons Director surgery originally perform	y regularly manage and ed by another surgeon.	I treat complications ar All surgeons profiled	eons profiled in the Trusted and problems from laser eye in our LASIK directory are ied surgeons with proven

Looking for a Highly Qualified LASIK Surgeon?

professional experience and accomplishments.

Trusted LASIK Surgeons is committed to help you find a highly qualified LASIK Surgeons by screening all surgeons profiled in our LASIK directory, one who will properly diagnose you and provide the highest standards of vision care. To learn more about our screening process, please visit How Are Surgeons Qualified at Trusted LASIK Surgeons?

To find a LASIK surgeon in your local area, please visit the Trusted LASIK Surgeons Directory.